CAPP *Rondo*

PLATFORM SHAKER

The CAPPRondo Platform Shaker offers efficient mixing with a durable, maintenance-free design for extended use.

Features

• Offers multiple programmable modes, such as motion direction, speed, time, dwell time, sequence and loop operation

• Different optional attachment platforms and clamps make it possible to use almost all shapes and sizes of vessels

• The Auto Power On option ensures operation continues for the remaining time after a power failure

Specifications

Speed	50-300 RPM	**Platform Size**	330 x 330 mm
Orbital Diameter	20 mm	**Protection Class**	IP 21
Motion	Orbital/Linear	**Programmable Features**	Up to 6 programs, each with 9 sub-programs
Motor Type	Brushless DC motor		
Max. Loading Capacity	7.5kg (with attachment)	**Programmable Looping**	Yes
Time Setting	1 min to 99 hours and 59 mins	**Dimensions (L x W x H)**	420 x 355 x 110 mm
Noise Level	< 60 dB	**Weight**	10 kg
Digital Display	Yes	**Power Consumption**	24 W

Ordering Information

Cat. No.	Description
CRP-3X	CAPPRondo Platform Shaker ø 20 mm
CRP-U	Universal Platform with Adjustable Bars (Flask capacity 9 x 250 mL, 6 x 500 mL)
CRP-D	Disk Attachment Base Plate with Slip-resistant Tray
CRP-C9-250	Base Plate with 9 Plastic Clamps: 9 x 250 mL
CRP-C9-500	Base Plate with 9 Plastic Clamps: 9 x 500 mL
CRP-F	Funnel Attachment
CRP-CS9-250	Base Plate with 9 Stainless Steel Clamps: 9 x 250 mL
CRP-CS9-500	Base Plate with 9 Stainless Steel Clamps: 9 x 500 mL
CRP-CS-100	Stainless Steel Clamp for 100 mL Flask
CRP-CS-150	Stainless Steel Clamp for 150 mL Flask
CRP-CS-250	Stainless Steel Clamp for 250 mL Flask
CRP-CS-500	Stainless Steel Clamp for 500 mL Flask
CRP-CS-1000	Stainless Steel Clamp for 1000 mL Flask

Scope of Delivery

1 pc. Platform Shaker
1 pc. Power Adapter
1 pc. Spanner
1 pc. User Manual
1 pc. Warranty Card

CRP-U

CRP-D

CRP-C9-250

CRP-C9-500

CRP-F

CRP-CS9-250

CRP-CS9-500

CRP-CS-250